


Vibrating Tampers 4-Stroke and Diesel Tampers 60 kg to 80 kg



4-Stroke Tampers: BT 60/4, BT 65/4 and Diesel Tamper: BT 80 D



Tomorrow's tamper. Today.

A model for every application!

The BOMAG tamper range comprises three different models. Choose either a 4-cycle gasoline or diesel engine, operating weights varying between 60 and 80 kg and different operating widths from 160 to 330 mm; fine tuning for every tamper application.

and the hazards to the operator greatly reduced.

The additional filter and engine protection, which prevents starting with low oil level, gives operating safety with demanding usage.



The BT 65/4 has extra performance and excellent travel characteristics.

Areas of application

BOMAG tampers are ideally suited for soil compaction in trench operations, pipeline construction, backfilling and garden and landscaping work. In highway construction situations, these tampers are mainly used for repair and maintenance as well as for compaction on hard shoulders.

BOMAG 4-cycle gasoline tamper

BT 60/4 and BT 65/4 are characterized by their exceptionally low emission values and their low fuel consumption. They are ideally suited for use in residential areas and excavation work. Trench work means confined conditions, engine noise risks amplified by reverberation from side walls and also the risks to safety of exhaust gas caused by poor air circulation within the trench itself. But with 4-stroke tampers, these problems can be substantially reduced

BOMAG Diesel Tamper

The BT 80 D is the heavyweight amongst the tampers and is exceptionally reliable because of its engines. Its preferred use is on soils which are difficult to compact and on sites where solely diesel fuel is used to avoid accidental mixing up of fuels.



The extended warranty provides added security.



Higher operating security with self-cleaning air filter housing and high capacity filter element plus second air filter.



Choice of working widths (160/230/280/290 and 330 mm) with or without wear protection and tamper foot extension.



Optional engine cover for additional protection.



Transport system – an option for simple and quick movement around site.

4-Stroke and Diesel Tampers

Your benefits

- Excellent travel performance of BOMAG tampers, plus the efficient and highly effective BOMAG tamping system cuts costs and gives excellent tamping results even on difficult to compact soils.
- Minimal maintenance outlay with the large, easy-access self-cleaning dry air filter.
- The second carburettor-mounted air filter increases the safety of the engine.
- Robust engine guards provide optimum protection under tough site conditions and during transport. Time-consuming and costly impact damage is thus avoided.
- Integrated low oil level protection prevents engine damage.
- The reinforced centrifugal force clutch, with long service life, cuts operating costs.
- Infinitely adjustable impact frequency and flexible operating widths offer high utilisation levels.



Engine guard appropriate for construction sites. Depending on model with recoil starter guard.

- Clear view of the tamping foot through the quide bar for precision workmanship along kerb edges, trenches and pipelines.
- For easy handling and better safety, the engine stop switch is integrated into the handle.
- Reduced noise level and long service life with the honeycomb-design foot mounting and high wear-resistant tamping foot plate.
- BOMAG's 3-2-1 extended warranty increases security.



Operational safety: engine stop switch integrated into the handle



Check out these benefits!

- High performance with high impact forces.
- Minimum maintenance with easy access self-cleaning highcapacity dry air filter.
- Second air filter increases operational safety.
- Engine damage prevented by integral low oil level protection.
- Added protection with robust engine protectors.
- Maximum safety for operator with low vibration steering handle.
- Infinitely adjustable impacts and flexible working widths increase utilisation.
- Reduced noise and extended life with honeycombed foot and high wear-resistant shoe.

BOMAG 3-2-1 warranty adds security.

The machines illustrated may show optional equipment which can be supplied at additional cost. Specifications may change without notice.

- Head Office/Hauptsitz: BOMAG, Hellerwald, 56154 Boppard, GERMANY, Tel.: +49 6742 100-0, interval a company company

- Head Office/Hauptsitz: BOMAG, Hellerwald, Stof 54 Boppard, GERIMANY, Tel.: +49 6742 100-0, Fax: +49 6742 3090, e-mail: info@bomag.com
 BOMAG MaschinenHandelsgesellschaft m.b.H., Porschestraße 9, 1230 Wien, AUSTRIA, Tel.: +43 1 69040-0, Fax: +43 1 69040-20, e-mail: sustria@bomag.com
 BOMAG (CANADA), INC, 3455 Semern/k Court, Mississauga, Ontario LSC 4P9, CANADA, Tell:: +1 905:361 9961, Fax: +1 905:361 9962, e-mail: canad@lbomag.com
 BOMAG (CANADA), INC, 3455 Semern/k Court, Mississauga, Ontario LSC 4P9, CANADA, Tell:: +1 905:361 9961, Fax: +1 905:361 9962, e-mail: canad@lbomag.com
 BOMAG (FINADC EAR, S., 2) avenue ou General de Gaulle, 91170 Vin;-Chaitlion, FRANCE, Tell:: +68 21 3365566, Fax: +88 21 3365650, e-mail: chana@bomag.com
 BOMAG (GREAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent ME20 6SE, GREAT BRITAIN, Tell:: +48 1622 716611, Fax: +43 169 96 26 60, e-mail: fance@bomag.com
 BOMAG (REAT BRITAIN), LTD, Sheldon Way, Larkfield, Aylesford, Kent ME20 6SE, GREAT BRITAIN, Tell:: +48 1622 716611, Fax: +44 1622 716385, e-mail: gb@bomag.com
 BOMAG Kereskedelmi Kt., PCA klatoriany u. 16, 2051 Blatorbágy, HUNGARY, Tell:: +48 1622 716611, Fax: +44 1622 716385, e-mail: gb@bomag.com
 BOMAG Kereskedelmi Kt., PCA klate, 23 503 686, e-mail: fungary@bomag.com
 BOMAG Appan Ce, LTD, Oval Court Ohsek Herk Weit Bidg, Bhi Toor, 2-17-1, Higashi Gotanda, Shinagawa-ku, Tokyo, JAPAN, 141-0022. Tel: +81 3 5449 7560, Tex: +81 3 5449 0160, e-mail: gaan@bomag.com
 BOMAG Polska Sp, z o.o, U. Szyszkowa 52, 02-265 Warszawa, POLAND, Tell:: +42 24 22 04 0, Fax: +48 22 42 04 016, e-mail: gaan@bomag.com
 BOMAG GmbH, 300 Beach Road, The Concurse, #38-409 4106, e-mail: gaan@bomag.com
 BOMAG GmbH, 300 Beach Road, The Concurse, #38-409 4016, e-mail: gaan@bomag.com
 BOMAG GmbH, 300 Kentville Road, Kewanee, Illinois 61443, U.S.A., Tel.: +1 309 8533571, Fax: +1 309 8520350, e-mail: usa@bomag.com



04/07 PRE 102 184