


Vibrating Tampers 4-Stroke and Diesel Tampers

60 kg to 80 kg



4-Stroke Tampers: BT 60/4, BT 65/4 and Diesel Tamper: BT 80 D



Tomorrow's tamper. Today.

A model for every application!

The BOMAG tamper range comprises three different models. Choose either a 4-cycle gasoline or diesel engine, operating weights varying between 60 and 80 kg and different operating widths from 160 to 330 mm; fine tuning for every tamper application.

and the hazards to the operator greatly reduced.

The additional filter and engine protection, which prevents starting with low oil level, gives operating safety with demanding usage.



The BT 65/4 has extra performance and excellent travel characteristics.

Areas of application

BOMAG tampers are ideally suited for soil compaction in trench operations, pipeline construction, backfilling and garden and landscaping work. In highway construction situations, these tampers are mainly used for repair and maintenance as well as for compaction on hard shoulders.

BOMAG 4-cycle gasoline tamper

BT 60/4 and BT 65/4 are characterized by their exceptionally low emission values and their low fuel consumption. They are ideally suited for use in residential areas and excavation work. Trench work means confined conditions, engine noise risks amplified by reverberation from side walls and also the risks to safety of exhaust gas caused by poor air circulation within the trench itself. But with 4-stroke tampers, these problems can be substantially reduced

BOMAG Diesel Tamper

The BT 80 D is the heavyweight amongst the tampers and is exceptionally reliable because of its engines. Its preferred use is on soils which are difficult to compact and on sites where solely diesel fuel is used to avoid accidental mixing up of fuels.



The extended warranty provides added security.



Higher operating security with self-cleaning air filter housing and high capacity filter element plus second air filter.



Choice of working widths (160/230/280/290 and 330 mm) with or without wear protection and tamper foot extension.



Optional engine cover for additional protection.



Transport system – an option for simple and quick movement around site.

4-Stroke and Diesel Tampers

Your benefits

- Excellent travel performance of BOMAG tampers, plus the efficient and highly effective BOMAG tamping system cuts costs and gives excellent tamping results even on difficult to compact soils.
- Minimal maintenance outlay with the large, easy-access self-cleaning dry air filter.
- The second carburettor-mounted air filter increases the safety of the engine.
- Robust engine guards provide optimum protection under tough site conditions and during transport. Time-consuming and costly impact damage is thus avoided.
- Integrated low oil level protection prevents engine damage.
- The reinforced centrifugal force clutch, with long service life, cuts operating costs.
- Infinitely adjustable impact frequency and flexible operating widths offer high utilisation levels.
- Clear view of the tamping foot through the guide bar for precision workmanship along kerb edges, trenches and pipelines.
- For easy handling and better safety, the engine stop switch is integrated into the handle.
- Reduced noise level and long service life with the honeycomb-design foot mounting and high wear-resistant tamping foot plate.
- BOMAG's 3-2-1 extended warranty increases security.



Engine guard appropriate for construction sites. Depending on model with recoil starter guard.



Operational safety: engine stop switch integrated into the handle.

Check out these benefits!

- **High performance** with high impact forces.
- **Minimum maintenance** with easy access self-cleaning high-capacity dry air filter.
- Second air filter **increases operational safety**.
- **Engine damage prevented** by integral low oil level protection.
- **Added protection** with robust engine protectors.
- **Maximum safety** for operator with low vibration steering handle.
- Infinitely adjustable impacts and flexible working widths **increase utilisation**.
- **Reduced noise** and **extended life** with honeycombed foot and high wear-resistant shoe.
- BOMAG 3-2-1 warranty **adds security**.

The machines illustrated may show optional equipment which can be supplied at additional cost. Specifications may change without notice.

- **Head Office/Hauptsitz:**
BOMAG, Hellerwald, 56154 Boppard, GERMANY, Tel.: +49 6742 100-0, Fax: +49 6742 3090, e-mail: info@bomag.com
- **BOMAG Maschinenhandels-gesellschaft m.b.H.**, Porschestraße 9, 1230 Wien, AUSTRIA, Tel.: +43 1 69040-0, Fax: +43 1 69040-20, e-mail: austria@bomag.com
- **BOMAG (CANADA), INC.**, 3455 Semenyk Court, Mississauga, Ontario L5C 4P9, CANADA, Tel.: +1 905.361.9961, Fax: +1 905.361.9962, e-mail: canada@bomag.com
- **BOMAG (CHINA) Compaction Machinery Co. Ltd.**, No. 2808 West Huancheng Road, Shanghai Comprehensive Industrial Zone (Fengxian), Shanghai 201401, CHINA, Tel.: +86 21 33655566, Fax: +86 21 33655505, e-mail: china@bomag.com
- **BOMAG FRANCE S.A.S.**, 2, avenue du Général de Gaulle, 91170 Viry-Châtillon, FRANCE, Tel.: +33 1 69 57 86 00, Fax: +33 1 69 96 26 60, e-mail: france@bomag.com
- **BOMAG (GREAT BRITAIN), LTD.**, Sheldon Way, Larkfield, Aylesford, Kent ME20 6SE, GREAT BRITAIN, Tel.: +44 1822 716511, Fax: +44 1822 718385, e-mail: gb@bomag.com
- **BOMAG Kereskedelmi Kft.**, PC Alkotmány u. 16, 2051 Biatortóbagy, HUNGARY, Tel.: +36 23 530 368, Fax: +36 23 530 369, e-mail: hungary@bomag.com
- **BOMAG Italia Srl**, Z.I. - Via Mella 6, 25015 Desenzano del Garda (BS), ITALY, Tel.: +39 030 9127263, Fax: +39 030 9127276, e-mail: italy@bomag.com
- **BOMAG Japan Co., LTD.**, Oval Court Ohsaki Mark West Bldg, 8th floor, 2-17-1, Higashi Gotanda, Shinagawa-ku, Tokyo, JAPAN, 141-0022, Tel: +81 3 5449 7560, Fax: +81 3 5449 0160, e-mail: japan@bomag.com
- **BOMAG Polska Sp. z o.o.**, Ul. Szyszkowa 52, 02-285 Warszawa, POLAND, Tel.: +48 22 482 04 00, Fax: +48 22 482 04 01, e-mail: poland@bomag.com
- **BOMAG GmbH**, 300 Beach Road, The Concourse, #38-03, Singapore 199555, SINGAPORE, Tel.: +65 6 294 1277, Fax: +65 6 294 1377, e-mail: singapore@bomag.com
- **BOMAG Americas, Inc.**, 2000 Kentville Road, Kewanee, Illinois 61443, U.S.A., Tel.: +1 309 8533571, Fax: +1 309 8520350, e-mail: usa@bomag.com